	IN AND CTLIND	EK HE	AD COMPONENTS
DESCRIPTION	PART NUMBER	QTY. REQ.	COMMENTS
En	gine Serial # 7DE	3,3NK,	6ZM , 8LW
Valve , Exhaust	2W2443	24	30 Degree 7.14" Length
Valve , Exhaust	1018314	24	20 Degree 7.14" Length
Valve , Intake	1227353	24	Use With 1227352
Guide, Intake & Exhaust	1511330	48	With Correct Serial Number
Insert, Valve Seat Exhaust	4W4325	24	30 Degree
Insert, Valve Seat Exhaust	1986529	24	20 Degree
Insert, Valve Seat Intake	4N5893	24	
Insert, Valve Seat Intake	1227352	24	Use With 1227353
Valve Lock	2A4429	96	
Rotocoil	6N7175	48	Includes 6N7174
Rotocoil	6N7154	48	No Shield
Shield	6N7174	48	Oil Shield (As Needed)
Spring, Valve	4N5906	48	,
Valve Lifter	1055139	24	With Correct Serial & Arrangement #
Valve Lifter Repair Kit	1055139RK	24	<u> </u>
Spring, Lifter Guide	3056843	24	Lifter Clip
Plug, Cup	3B0623	24	=
Plug, Cup	3B0645	20	
Spark Plug Adapter	7W3860	12	With Correct Serial Number
Spark Plug Adapter Gasket	2N7174	12	Metal Gasket
Spark Plug Adapter Seal	2S2251	12	Wetai Gasket
Water Seal	3E6772	24	
	1		ick Cylinder Heads Only)
	2120933	24	ick Cylinder Heads Only) 20 Degree 7.62" Length
Valve Inteke	2120933	24	
Valve , Intake Guide, Exhaust	2137537	24	20 Degree 7.62" Length
Guide, Exhaust Guide, Intake	2137536	24	
<u>'</u>		+	20 Dograd
Insert, Valve Seat Exhaust Insert, Valve Seat Intake	1986529 1227352	24 24	20 Degree 20 Degree
		+	20 Degree
Valve Lock	2A4429	96	No Chief
Rotocoil	6N7154	48	No Shield
Spring, Valve	4N5906	48	NACH Constant On the Constant of
Valve Lifter	1055139	24	With Correct Serial & Arrangement #
Valve Lifter Repair Kit	1055139RK	24	1.76 0.1
Spring, Lifter Guide	3056843	24	Lifter Clip
Plug, Cup	3B0623	24	
Plug, Cup	3B0645	20	
Spark Plug Adapter Gasket	2N7174	12	Metal Gasket
Spark Plug Adapter Seal	2S2251	12	

•			
GV&KET &	ETS AND MISC	ELL AN	EOUS GASKETS
DESCRIPTION	PART NUMBER	QTY. REQ.	COMMENTS
Overhaul Gasket Set	412091	1	7DB1 - UP Non Turbo
Overhaul Gasket Set	412111	1	7DB1 - UP Turbo Aftercooled
Multiple Cylinder Head Gasket Set	412093	1	7DB1 - UP Non Turbo
Multiple Cylinder Head Gasket Set	412113	1	7DB1 - UP Turbo Aftercooled
Single Cylinder Head Gasket Set	412114	A/R	7DB1 - UP Single Head Set
Oil Pan Gasket	4N1151	1	Puzzle Style
Oil Pan Gasket	4N1151-12	1	1 Piece Pan Gasket
Valve Cover Gasket	5P5678-13	1	(Both Valve Covers)
Valve Cover Gasket	5P5678-07	1	(One Valve Cover)
Water Pump Gasket Set	6V2543	1	With Correct Serial Number
Water Pump Gasket Set	1036192	1	With Correct Serial Number
Water Pump Gasket Set	2177884	1	With Correct Serial Number
ENG	INE BEARINGS	AND E	BUSHINGS
Main Bearing Standard	3215746	7	
Main Bearing .010"	4W5492-010	A/R	
Main Bearing .025"	4W5698	A/R	
Main Bearing .050"	4W5699	A/R	
Rod Bearing Standard	9Y9497G	12	Narrow Journal Crankshaft (1.535" Wide)
Rod Bearing .010"	9Y9497G-010	A/R	Narrow Journal Crankshaft (1.535" Wide)
Rod Bearing .025"	4W5702G	A/R	Narrow Journal Crankshaft (1.535" Wide)
Rod Bearing .050"	4W5703G	A/R	Narrow Journal Crankshaft (1.535" Wide)
	0)/==0=0	4.0	100 100 100 100 100 100 100 100 100 100
Rod Bearing Standard	9Y7735G	12	Wide Journal Crankshaft (1.930 " Wide)
Rod Bearing .025"	7E0558	A/R	Wide Journal Crankshaft (1.930 " Wide)
Rod Bearing .050"	7E0559	A/R	Wide Journal Crankshaft (1.930 " Wide)
Thrust Dieto	2521752	2	
Thrust Plate	2531752		
Cam Bearing	4N0685	5	
Cam Bearing Cam Bearing	4N6658	2	
Cain Deaning	7140000		
Bushing, Connecting Rod	8N0705	12	Straight Rods
Bushing, Connecting Rod	8N0706	12	Narrow Tapered Rods (1.540" Wide)
Bushing, Connecting Rod	8N2018	12	Wide Tapered Rods (1.850" Wide)
Bushing, Connecting Rod	4P8495	12	Wide Tapered Rods With Relief on ID

CYLINDER KITS AND COMPONENTS						
DESCRIPTION	PART NUMBER	QTY. REQ.	COMMENTS			
Piston and Liner Assembly	PLG7E3888	12	10.0 : C.R.			
Piston and Liner Assembly	PLG4P8996	12	Gallery Cooled 9.7:1 C.R.			
Piston and Liner Assembly	PLG1607994	12	8.5 : 1 C.R.			
Piston and Liner Assembly	PLG7E3888/CS	12	IPD Crevice Style Liner			
Piston and Liner Assembly	PLG4P8996/CS	12	IPD Crevice Style Liner			
Piston and Liner Assembly	PLG1607994/CS	12	IPD Crevice Style Liner			
Piston Body	7E3888	12	10.0 : C.R.			
Piston Body	4P8996	12	Gallery Cooled 9.7 : 1 C.R.			
Piston Body	1607994	12	8.5 : 1 C.R.			
Ring Group	7E38888SI	12	For Use Only With 7E3888 Piston			
Ring Group	G3400RS	12				
Liner, Cylinder	2W6000	12				
Liner, Cylinder Crevice Seal Design	2W6000CSWS	12	IPD Crevice Style Liner With Seals			
Pin, Piston	8N1608	12				
Retainer, Piston Pin	7E5665	24				
Gasket Kit (Liner O Rings and Seal)	1183732	12	Contains 3 - 1102220 and 1 - 9L5854			
Gasket Kit (Liner O Rings and Seal)	1183732CS	12	Crevice Seal Design Liner Only			
	OLING SYSTEM	COME	OONENTS			
	OLING SYSTEM 4W4794	1	T			
Regulator, Water Temperature 180' Regulator, Water Temperature 190'	7C3095	2	180 Degree 190 Degree			
Regulator, Water Temperature 180'	2485513	2	New Sealed Design			
Regulator, Water Temperature 190'	2477133	2	New Sealed Design			
Seal, Regulator	3S9643	2	New Sealed Design			
Water Pump Rebuild Kit	1293068	1	With Correct Serial & Arrangement #			
Water Pump Rebuild Kit	1293069	1	With Correct Serial & Arrangement #			
Water Pump Rebuild Kit	1386744	1	With Correct Serial & Arrangement #			
Seal Group, Water Pump	4W3864	1	With Correct Serial & Arrangement #			
Seal Group, Water Pump	1313815	1	With Correct Serial & Arrangement #			
Seal Group, Water Pump	1280317	1	With Correct Serial & Arrangement #			
Shaft, Water Pump	1354928	1	With Correct Serial & Arrangement #			
Seal, Oil	8C3100	1				
Adapter, Inlet	1012749	1	With Correct Serial Number			
rauptor, milet	1012149	'	With Golfeet Gerial Number			
Bearing Assembly, Water Pump	1087930	1	With Correct Serial Number (roller type			
Bearing, Water Pump	1B3867	1	With Correct Serial Number			
Bearing, Water Pump	2L5271	1	With Correct Serial Number			

	-						
MISCELLANEOUS COMPONENTS							
DESCRIPTION	PART NUMBER	QTY. REQ.	COMMENTS				
Crankshaft Components							
Crankshaft	1W6213	1	With Correct Serial Number				
Crankshaft	2W4088	1	With Correct Serial Number				
Crankshaft Seal, Rear	1425868	1	Standard Rotation				
Crankshaft Seal, Front	1425867	1	Standard Rotation				
Cylinder Block Repair							
Insert, Stainless Steel	9Y3368	A/R	.032" Thick				
Insert, Stainless Steel	2W3815	A/R	.062" Thick				